











Максимальная глубина резания
в зависимости от формы пластины

Форма СМП		Размер СМП	Максимальная глубина резания, мм		Форма СМП		Размер СМП	Максимальная глубина резания, мм		
V			08	0,25L	2	P			11	0,50L
		11	2,75				13	6,5		
		16	4				16	8		
D		11	0,25L	2,75	W		06	0,50L	3	
									08	4
		15		3,75					10	5
							12		6	
							13		6,5	
K		16	0,25L	4	C		06	0,66L	6	
									09	3,9
									12	7,9
			16	10,5						
							19		12,5	
		19	4,75				25		16,5	
T		11	0,33L	3,6	S		09	0,66L	3,9	
									12	7,9
									15	9,9
									19	12,5
									25	16,5
		27	8,9				38		25	
R		10	0,40D	4	H		0,66L	09	3,9	
		12		4,8						
		15		6						
		16		6,4						
		19		7,6						
		20		8						
		25		10						
		32		12,8						
					12	7,9				